

Operation no. of operation texts and work units, standard texts and flat rates:

A. "Behr" air conditioner unit



Windshield wiper system	pull out.
Mounting strap (2) Flat plug on blower motor Reinstall in opposite order	unclip. pull off and remove blower motor (M2). assure that the blower motor catches properly in the mount.

B. "Siemens/thermal" air conditioner unit




Wiper system	remove (82-680).
Outside air temperature sensor	remove.
Cover	remove, by unclipping 8 clips (arrows).
Retaining strap (3)	unclip.
Flat plug on blower motor	detach and remove blower motor (M2).
Install in reverse sequence	ensure that the blower motor engages correctly in the mounting. If the blower motor has had to be replaced, observe note.


Note

The "Siemens/thermal" air conditioner unit has been installed since 01/88. As only the Behr blower motor is available for all air conditioner units in the replacement parts market, the motor bracket also has to be exchanged when replacing the blower motor on the Siemens/thermal air conditioner unit boxes.

The Siemens/thermal air conditioner unit can be recognised by the bracket on the blower motor, which is secured with 4 screws (arrows) (this is 3 screws in the case of "Behr").




If the electrical cables are soldered to the blower motor, snip off immediately after the connections and solder a push-on bush to the red cable and a flat-pin terminal to the brown cable.



Scope of work

1 Remove bracket (item a) by unscrewing 4 screws (arrows).



- 2 Install new retaining strap and new bracket (items 2 and 3) with the existing 3 screws (arrows).
- 3 Install in reverse sequence.

